SYNOPSIS

In-Silico Analysis of RNA Dependent RNA Polymerase of Plant Virus using Bioinformatics and Computational Approach.

Submitted for the Registration of the degree of

DOCTOR OF PHILOSOPHY

In the Faculty of Science

Department of Botany

L.N Mithila University(L.N.M.U), Darbhanga, Bihar

Submitted by:
Kaushal Kumar
Research Scholar(PAT-2021-22).
University Dept. of Botany,
L.N. Mithila University, Darbhanga -846004.

Under the Supervision of:
Dr. Gajendra Prasad
Associate Professor
University Dept. of Botany,
L.N. Mithila University, Darbhanga-846004

Introduction:

In the realm of virology, understanding the functioning and structure of RNA dependent RNA polymerases (RdRps) holds paramount importance due to their pivotal role in the replication of RNA viruses. The advent of bioinformatics and computational methodologies has revolutionized the study of RdRps, enabling researchers to delve deeper into their structure, function, and evolution. In this study, we embark on an in-silico analysis of the RdRp of plant viruses, utilizing a comprehensive bioinformatics and computational approach. Through this analysis, we aim to unravel crucial insights into the molecular mechanisms underlying viral replication, facilitating the development of effective strategies for viral control and management in agricultural settings.

In the intricate tapestry of plant-virus interactions, understanding the molecular machinery governing viral replication is of paramount importance for agricultural sustainability and food security. Among the key players orchestrating the replication of RNA viruses is the RNA dependent RNA polymerase (RdRp), a multifunctional enzyme essential for catalyzing the synthesis of viral RNA genomes. The dynamic interplay between viral RdRps, host factors,

and environmental cues shapes the course of viral infection and the emergence of novel viral strains with diverse pathogenic potentials.

Traditionally, unraveling the intricacies of RdRp function and regulation has relied heavily on biochemical assays and genetic manipulations, providing invaluable insights into the catalytic mechanisms and evolutionary dynamics of these enzymes. However, the advent of bioinformatics and computational methodologies has revolutionised our approach to studying RdRps, offering a powerful toolkit for elucidating their structure, function, and evolution in unprecedented detail.

The title of our study, "In-Silico Analysis of RNA Dependent RNA Polymerase of Plant Virus using Bioinformatics and Computational Approach," encapsulates our endeavour to harness the power of computational tools and algorithms to dissect the molecular architecture and functional attributes of RdRps from a diverse array of plant viruses. By employing an integrative approach that combines bioinformatics, structural biology, and computational modelling, we aim to uncover novel insights into the mechanisms driving viral replication and evolution, with implications for devising effective strategies for viral disease management in agriculture.

Review of Literature:

The literature surrounding RdRps in plant viruses encompasses a vast array of studies spanning several decades. Early investigations primarily focused on the biochemical characterisation of RdRps and their role in viral replication. Subsequent advancements in molecular biology techniques facilitated the cloning and sequencing of RdRp genes from various plant viruses, shedding light on their genomic organization and evolutionary relationships. Concurrently, the emergence of bioinformatics tools and databases revolutionised the analysis of RdRp sequences, enabling phylogenetic reconstructions, structural predictions, and functional annotations with unprecedented accuracy.

Moreover, computational simulations and molecular modeling studies have provided valuable insights into the catalytic mechanisms of RdRps and their interactions with viral and host factors. Notably, recent research has elucidated the impact of viral RdRp mutations on viral fitness, drug resistance, and host adaptation, highlighting the dynamic nature of RNA virus evolution. Furthermore, bioinformatics-driven approaches have facilitated the design and optimisation of antiviral agents targeting RdRp, offering

promising avenues for therapeutic intervention against devastating plant viral diseases.

Despite these advancements, several gaps persist in our understanding of plant viral RdRps, necessitating further exploration through integrative bioinformatics and computational analyses. Addressing these gaps is crucial for unraveling the complex interplay between viral RdRps, host factors, and environmental conditions, ultimately paving the way for the development of sustainable strategies for viral disease management in agriculture.

The literature surrounding RNA dependent RNA polymerases (RdRps) of plant viruses spans several decades and encompasses a diverse array of research endeavours aimed at unraveling the molecular intricacies of viral replication and evolution. Early studies focused on the biochemical characterisation of RdRps, elucidating their enzymatic activities, substrate specificities, and interactions with viral and host factors. These seminal investigations laid the foundation for understanding the fundamental role of RdRps in viral RNA synthesis and paved the way for subsequent molecular and computational analyses.

As molecular biology techniques advanced, researchers began cloning and sequencing RdRp genes from a myriad of plant viruses, providing insights into their genomic organization, sequence diversity, and evolutionary relationships. Comparative sequence analyses revealed conserved motifs and structural features among RdRps from different viral families, underscoring their functional significance in viral replication. Additionally, phylogenetic reconstructions based on RdRp sequences facilitated the classification and taxonomic delineation of plant viruses, aiding in the identification of novel viral species and strains.

The advent of bioinformatics tools and databases revolutionised the study of RdRps, enabling researchers to conduct large-scale comparative genomics analyses and functional annotations. Sequence alignment algorithms facilitated the identification of conserved domains and motifs within RdRp sequences, while structural prediction algorithms allowed for the modelling of RdRp three-dimensional structures. These computational approaches provided valuable insights into the structural basis of RdRp catalysis, substrate recognition, and inhibitor binding, laying the groundwork for structure-based drug design efforts targeting viral replication.

In parallel, computational simulations and molecular modeling studies offered mechanistic insights into RdRp dynamics, revealing the conformational flexibility and allosteric regulation of these enzymes. Molecular dynamics simulations provided atomistic details of RdRp interactions with viral RNA templates, nucleotide substrates, and cofactors, shedding light on the kinetics and thermodynamics of RNA synthesis. Moreover, computational analyses of RdRp mutations and sequence polymorphisms elucidated their impact on viral fitness, drug resistance, and host adaptation, highlighting the dynamic interplay between viral RdRps and evolutionary forces.

Recent advances in high-throughput sequencing technologies have facilitated the genome-wide analysis of RdRp gene expression and regulation in response to viral infections and environmental stresses. Transcriptomic and proteomic studies have provided comprehensive insights into the host factors and signalling pathways modulating RdRp activity, offering potential targets for antiviral intervention and crop protection strategies. Furthermore, integrative approaches combining genomics, transcriptomics, and metabolomics have enabled systems-level analyses of RdRp-mediated viral

pathogenesis, revealing intricate networks of host-virus interactions and immune responses.

Objective:

The primary objective of this study is to conduct an in-depth in-silico analysis of the RNA dependent RNA polymerase (RdRp) of plant viruses using a comprehensive bioinformatics and computational approach. Specifically, we aim to achieve the following objectives:

1. Characterize the genomic organization and sequence diversity of RdRp genes across different families and genera of plant viruses.
2. Predict the structural features and functional domains of plant viral RdRps using state-of-the-art bioinformatics tools and algorithms.
3. Perform phylogenetic reconstructions to elucidate the evolutionary relationships and divergence patterns among plant viral RdRps.
4. Investigate the molecular dynamics and conformational flexibility of RdRp structures through molecular modelling and simulation techniques.

5. Identify conserved motifs, residues, and structural determinants essential for RdRp catalytic activity and substrate recognition.
6. Analyse the impact of genetic variations and sequence polymorphisms on RdRp stability, fidelity, and viral fitness.
7. Explore potential interactions between viral RdRps and host factors, including RNA templates, cellular proteins, and small molecule inhibitors.
8. Evaluate the druggability of plant viral RdRps through virtual screening and molecular docking studies, aiming to identify novel antiviral compounds and therapeutic targets.

By accomplishing these objectives, we aspire to advance our understanding of plant viral RdRps and their role in viral replication, evolution, and pathogenesis, thereby contributing to the development of innovative strategies for the management of plant viral diseases.

Methodology:

The proposed methodology involves a multi-faceted approach integrating bioinformatics, computational biology, and structural

biochemistry techniques for the comprehensive analysis of plant viral RdRps. The following steps outline the methodology adopted in this study:

1. Data Acquisition and Compilation:

Collection of RdRp sequences from public databases such as GenBank, RefSeq, and ViralZone, encompassing diverse families and genera of plant viruses.

2. Sequence Analysis:

Alignment of RdRp sequences using bioinformatics tools such as Clustal Omega or MAFFT to assess sequence conservation, identify conserved motifs, and predict functional domains.

3. Structural Prediction:

Prediction of the three-dimensional (3D) structure of plant viral RdRps through homology modeling techniques using comparative modeling tools like SWISS-MODEL or Phyre2.

4. Structural Validation and Refinement:

Validation of predicted RdRp structures using bioinformatics validation servers such as PROCHECK, VERIFY3D, and

MolProbity. Refinement of models through energy minimization and molecular dynamics simulations.

5. Functional Annotation:

Annotation of RdRp structures to identify catalytic residues, substrate etc.

6. Molecular Dynamics Simulations:

Molecular dynamics simulations are performed to investigate the dynamic behaviour of RdRp structures, elucidating conformational changes and interactions with viral RNA templates and nucleotide substrates.

7. Virtual Screening and Docking Studies:

Virtual screening of compound libraries and molecular docking studies are conducted to identify potential inhibitors targeting RdRp active sites, aiding in drug discovery efforts against plant viral infections. Through this methodology, we aim to elucidate the structural and functional properties of RdRps, providing insights into viral replication mechanisms and identifying potential targets for antiviral intervention in agricultural settings.

8. Phylogenetic Analysis:

Phylogenetic reconstructions are performed using multiple sequence alignment data to infer the evolutionary relationships and divergence patterns among RdRps from different viral families and genera. Phylogenetic trees are constructed using maximum likelihood or Bayesian inference methods, allowing for the visualisation of evolutionary trends and the identification of evolutionary hotspots.

9. Structural Bioinformatics Analysis:

Structural bioinformatics analyses are conducted to identify conserved structural motifs, domain architectures, and functional residues within RdRp structures. Structural comparisons are performed using tools such as DaliLite or TM-align to identify structurally similar proteins and infer functional similarities.

10. Network Analysis:

Network analysis techniques are employed to elucidate the molecular interactions and signalling networks involving RdRps and their associated proteins. Protein-protein interaction networks are constructed based on experimentally validated interactions and predicted interactions from interaction databases, providing insights

into the cellular processes and pathways modulated by RdRps during viral replication.

11. In-Silico Mutagenesis and Functional Studies:

In-silico mutagenesis experiments are conducted to predict the effects of amino acid substitutions on RdRp structure and function. Computational tools such as FoldX or Rosetta are utilised to model the structural consequences of mutations and assess their impact on enzyme activity, stability, and substrate binding affinity.

12. Comparative Genomics Analysis:

Comparative genomics analyses are performed to identify genomic features and regulatory elements associated with RdRp genes in plant viruses. Genome-wide comparisons of RdRp sequences and their flanking regions are conducted to uncover conserved motifs, regulatory sequences, and gene expression patterns, providing insights into the evolutionary constraints and adaptive strategies shaping RdRp diversity.

By integrating these diverse methodological approaches, our study aims to provide a comprehensive understanding of RdRp biology in plant viruses, elucidating the structural, functional, and evolutionary aspects of these critical viral enzymes. Through interdisciplinary

analyses and computational modelling, we seek to uncover novel insights into viral replication mechanisms, host-virus interactions, and the development of effective strategies for viral disease management in agricultural ecosystems.

References

Avila, C. A., Arévalo-Soliz, L. M., Jia, L., Navarre, D. A., Chen, Z., Howe, G. A., ... & Goggin, F. L. (2012). Loss of function of FATTY ACID DESATURASE7 in tomato enhances basal aphid resistance in a salicylate-dependent manner. *Plant physiology*, *158*(4), 2028-2041.

Ahn, K. K., Kim, K. S., Gergerich, R. C., Jensen, S. G., & Anderson, E. J. (1996). Comparative ultrastructure of double membrane-bound particles and inclusions associated with eriophyid mite-borne plant diseases of unknown etiology: a potentially new group of plant viruses. *Journal of submicroscopic cytology and pathology*, *28*(3), 345-355.

Bosque-Pérez, N. A., & Eigenbrode, S. D. (2011). The influence of virus-induced changes in plants on aphid vectors: insights from luteovirus pathosystems. *Virus research*, *159*(2), 201-205.

King, A. M., Lefkowitz, E., Adams, M. J., & Carstens, E. B. (Eds.). (2011). *Virus taxonomy: ninth report of the International Committee on Taxonomy of Viruses* (Vol. 9). Elsevier.

Cooper, J. I., & Jones, A. T. (1983). Responses of plants to viruses: proposals for the use of terms. *Phytopathology*, *73*(2), 127-128.

Divya, P., Kumar, L. L., Rangaswamy, K. T., & Muniyappa, V. (2005). Detection of pigonpea sterility mosaic virus in floral parts and seeds. *Indian J. Virol*, *16*, 36.

Eiben, S., Koch, C., Altintoprak, K., Southan, A., Tovar, G., Laschat, S., ... & Wege, C. (2019). Plant virus-based materials for biomedical applications: Trends and prospects. *Advanced drug delivery reviews*, *145*, 96-118.

Gilbertson, R. L., & Lucas, W. J. (1996). How do viruses traffic on the ‘vascular highway’?. *Trends in Plant Science*, *1*(8), 250-251.

Hipper, C., Brault, V., Ziegler-Graff, V., & Revers, F. (2013). Viral and cellular factors involved in phloem transport of plant viruses. *Frontiers in plant science*, *4*, 154.

Jeger, M. J., Holt, J., Van Den Bosch, F., & Madden, L. V. (2004). Epidemiology of insect-transmitted plant viruses: modelling disease dynamics and control interventions. *Physiological Entomology*, *29*(3), 291-304.

Jensen, S. G. (1999). High plains virus: a new twist to an old story. *Phytopathology*, *89*(356), S84.

Jones, A. T., Kumar, P. L., Saxena, K. B., Kulkarni, N. K., Muniyappa, V., & Waliyar, F. (2004). Sterility mosaic disease—the “green plague” of pigeonpea: advances in understanding the etiology, transmission and control of a major virus disease. *Plant Disease*, *88*(5), 436-445.

Kulkarni, N. K., Kumar, P. L., Muniyappa, V., Jones, A. T., & Reddy, D. V. R. (2002). Transmission of Pigeon pea sterility mosaic virus by the eriophyid mite, Aceria cajani (Acari: Arthropoda). *Plant disease*, *86*(12), 1297-1302.

Kumar, P. L., Duncan, G. H., Roberts, I. M., Teifion Jones, A., & Reddy, D. V. R. (2002). Cytopathology of Plgeonpea sterility mosaic virus in pigeonpea and Nicotiana benthamiana: similarities with those of eriophyid mite-borne agents of undefined aetiology. *Annals of applied kibiology*, *140*(1), 87-96.

Kumar, P. L., Jones, A. T., & Reddy, D. V. R. (2003). A novel mite-transmitted virus with a divided RNA genome closely associated with pigeonpea sterility mosaic disease. *Phytopathology*, *93*(1), 71-81.

Madden, L. V., Jeger, M. J., & Van den Bosch, F. (2000). A theoretical assessment of the effects of vector-virus transmission mechanism on plant virus disease epidemics. *Phytopathology*, *90*(6), 576-594.

Matern, U., & Kneusel, R. E. (1988). Phenolic compounds in plant disease resistance. *Phytoparasitica*, *16*, 153-170.

Maule, A. J., & Palukaitis, P. (1991). Virus movement in infected plants. *Critical Reviews in Plant Sciences*, *9*(6), 457-473.

Narayanasamy, P. (2008). Molecular techniques for detection of microbial pathogens. In *Molecular Biology in Plant Pathogenesis and Disease Management* (pp. 7-158). Springer, Dordrecht.

Ng, J. C., & Falk, B. W. (2006). Virus-vector interactions mediating nonpersistent and semipersistent transmission of plant viruses. *Annu. Rev. Phytopathol.*, *44*, 183-212.

Reddy, M. V., Kannaiyan, J., & Nene, Y. L. (1984). Increased susceptibility of sterility mosaic infected pigeonpea to powdery mildew. *Int. J. Trop. Plant Dis*, *2*, 35-40.

Sanjuán, R., & Domingo-Calap, P. (2016). Mechanisms of viral mutation. *Cellular and molecular life sciences*, *73*(23), 4433-4448.

Seth, M. L. (1962). Transmission of Pigeon Pea sterility by an eriophyid mite. *Indian Phytopathology*, *15*(3-4), 225-227.

Sithanantham, S., Reddy, M. V., & Rameshwar, R. V. (1989). *Increased damage by the spider mite Schizotetranychus cajani in Pigeonpea Plants affected by sterility mosaic* (Vol. 2, pp. 11-14). Oxford & IBH Publishing Co: New Delhi, India.

Thimmaiah, S. K., & Thimmaiah, S. K. (2004). *Standard methods of biochemical analysis*. Kalyani publishers.

Whitham, S. A., Yang, C., & Goodin, M. M. (2006). Global impact: elucidating plant responses to viral infection. *Molecular Plant-Microbe Interactions*, *19*(11), 1207-1215.

Xu, P., Chen, F., Mannas, J. P., Feldman, T., Sumner, L. W., & Roossinck, M. J. (2008). Virus infection improves drought tolerance. *New Phytologist*, *180*(4), 911-921.

Signature of Supervisor. ***Signature of H.O.D***